



DIGIDISH 33 + 1 x DIGIT S3 HD

EAN	Colour	Item no.	Weight (Box)	Weight
4019588837126	beige	8613/4712	2,8 kg	2 kg
4019588937123	slate/grey	9613/4712	2,8 kg	2 kg
4019588637122	brick/red	6613/4712	2,8 kg	2 kg
4019588737129	polar/white	7613/4712	2,8 kg	2 kg
4019588537125	yellow with Smiley	5613/4712	2,8 kg	2 kg

TECHNISAT ADDED VALUE SERVICES

AUTOINSTALL : Yes

HANDLING/COMFORT

Ideal for camping : Yes

DIGIDISH 33, Universal-Twin-LNB

ARTICLE INFORMATION		POWER SUPPLY
EAN : 4019588033283	Material strength : 1 mm	LNB voltage supply : 11,5 ... 19 V
Item no. : 1033/2882	Coating : Powder-coated on both sites	Power consumption : max. 190 mA
LOCAL OSCILLATOR	including Wall bracket : Yes	TECHNICAL DATA
Low band : 9,75 GHz	INPUT FREQUENCY RANGE	F/D : 0,6
High band : 10,7 GHz	Low band : 10,7 ... 11,7 GHz	Offset angle : 30 °
LNB CONTROL	High band : 11,7 ... 12,75 GHz	Gain : 30 dBi @11,3 GHz
Vertical : 11,5 - 14 V	NOISE FACTOR	Feed reception : 40 mm
Horizontal : 16 - 19 V	Lower frequency range : 0,7 dB max.	
Band switch : 22 kHz	Upper frequency range : 0,7 dB max.	
GENERAL CHARACTERISTICS	OUTPUT FREQUENCY RANGE	
Material : Aluminium	Low band : 950 - 1.950 MHz	
	High band : 1.100 - 2.150 MHz	

DIGIT S3 HD

ARTICLE INFORMATION
EAN : 4019588047129
Item no. : 0000/4712
Colour : black
Weight (Box) : 1,03 kg
Weight : 380 g
Device (W x H x D) : 18 x 4,4 x 13 cm
Box : 26 x 8 x 17 cm
AMBIENT OPERATING CONDITIONS
Ambient temperature : 5 ... 35 °C
Humidity : 10 ... 75 %
LNB CONTROL
Vertical : 14 V
Horizontal : 18 V
Band switch : 22 kHz
Current consumption : max. 400 mA (kurzschlussfest)
DiSEqC : 1.0 / 1.2
TECHNISAT ADDED VALUE SERVICES
TECHNIFAMILY : Yes
ISIPRO : Yes
ISI-Mode : Yes
SFI : Yes
AUTOINSTALL : Yes
INTERNET/NETWORK
Internet speed test : Yes
CONNECTIONS
HDMI™ (out) : 1
USB : 1 (USB 2.0)
Digital electric audio output (S/PDIF) : Yes

audio/video output analog (3.5 mm jack) : Yes TechniSat specific adapter set necessary (available at 0000/3649)
Ethernet 10/100 (RJ-45) : Yes
F socket : 1
DISPLAY
SD : Yes
HD : Yes
1080p : Yes
1080i : Yes
720p : Yes
576p : Yes
576i : Yes
HANDLING/COMFORT
Page memory : 1.000
Teletext subtitles : Yes
Media Player : Yes
Parental Control : Ja
Teletext : Yes
Channel presets : 4.999
Sleep timer : Yes
Quick start : Yes
Autostandby : Yes
Remote control : Yes
Selection regional channels : Yes
NETWORK & COMMUNICATION
100Base-T : Yes
IPv4 : Yes
TCP/IP : Yes
OTHER FEATURES

OSD languages : English, German, French, Greek, Italian, Dutch, Polish, Portuguese, Russian, Swedish, Spanish, Czech, Turkish, Hungarian
Total programme memory : 4.999
POWER CONSUMPTION
Standby LED : 0,3 W
In operation : 6,3 W
POWER SUPPLY
Nominal voltage : 230 V
Frequency : 50 Hz
Mains adapter : external DC 12V/2A
SUPPORTED FORMATS & CODECS
Video-CODECS : MPEG-2, MPEG-4, H.264
Video-Formats : MTS, MPG, TS, TS4, M2TS, AVI, ASF
Picture-Formats : BMP, JPEG, GIF, PNG, TIFF
Audio-Formats : WAV, MP3, M4A, MP2, DDAC3
TUNER
Tuner type : DigitalSat
DVB-S tuner : 1
Single Cable Solution (SatCR) : SCR1 = EN50494, SCR2 = EN50607
Satellite radio : Yes
Internet radio : Yes
Reception on : HD-TV, SD-TV
TECHNIROUTER ready : Yes
TUNER - SAT
Reception range : 950 ... 2.150 MHz
Viterbi rates : 1/2, 2/3, 3/4, 5/6, 7/8 , (autom. Anpassung)
DVB-S : QPSK
DVB-S : 2 ... 45
DVB-S2 : 8PSK - QPSK

Testurteil(e) DIGIDISH 33 + 1 x DIGIT S3 HD



Readers' Choice for the
König-Kunde-Award 2014:
2nd place in the satellite
equipment category
(Camping, Cars & Caravans)

black/white