



DIGIPLUS UHD S

Digital UHD/4K satellite receiver with twin tuner

EAN	Item no.	Colour	Weight (Box)	Weight	Box	Device (W x H x D)
4019588047594	0000/4759	black	1.35 kg	636 g	31.00 x 8.00 x 19.50 cm	22.00 x 4.00 x 17.50 cm

TOP FEATURES

UHD/4K reception and processing (HDMI with 4K 50/60p/HDCP 2.2/H.265/HEVC)

Twin tuner DVB-S/S2

DVRready for recording on USB storage device or network attached storage (NAS)

Timeshift in connection with USB hard drive

ISIO: Access to media libraries, online video stores, apps and HbbTV

Pay TV compatible via CI+

Multimedia streaming on home network (via UPnP)

Integrated WLAN connectivity 802.11a/b/g/n/ac (2.4 / 5 GHz)

Control by CONNECT app

MULTIMEDIA

DVR function: Ja

DVR storage medium: via USB

Multi Recording: Yes

Timeshift: Yes

Recordings edition function: Yes

Recordings folder management: Yes

WLAN

WLAN: 802.11n a/b/g (2,4 GHz / 5 GHz)

2,4 GHz: Yes

5 GHz: Yes

AMBIENT OPERATING CONDITIONS

Ambient temperature: 5 ... 35 °C

Humidity: 10 ... 75 %

LNB CONTROL

Vertical: 14 V

Horizontal: 18 V

Band switch: 22 kHz

Current consumption: max. 400 mA (kurzschlussfest)

DiSEqC: 1.0 / 1.2

TECHNISAT ADDED VALUE SERVICES

AUTOINSTALL: Yes

ISIPRO: Yes

ISI-Mode: Yes

TECHNIMATIC: Yes

TECHNIFAMILY: Yes

SFI+: Yes

INTERNET/NETWORK

ISIO Internet: Yes

ISIO live: Yes

Webbrowser: Yes

HbbTV: Yes

Internet speed test: Yes

HTML 5 support: Yes

CONNECTIONS

HDMI (out): 1 (4K 50/60p / HDCP 2.2)

USB: 2

Common Interface Plus (CI+): Yes

Digital electric audio output: Yes

Connector for external IR-Receiver: 1

Ethernet 1Gbit/s (RJ-45): 1

DECODER

Video decoder: MPEG-2 MP@HL/ML, H.264/MPEG-4 AVC, H.265/HEVC

Audio decoder: MPEG-1 & MPEG-2 Layer I, II, III

DECRYPTION SYSTEM

CI+: Yes

DISPLAY

Picture in Picture (PIP): Yes (2x SD, 2x HD, 1x UHD u. 1x HD, 1x UHD u. 1x SD, 1x SD u. 1x HD)

Freeze frame: Yes

Zoom: Yes

UHD/4K upscaling: Yes

SD: Yes

HD: Yes

UHD: Yes

2160p: Yes

1080p: Yes

1080i: Yes

720p: Yes

576p: Yes

576i: Yes

Type: VF-Display, 12-stellig

HANDLING/COMFORT	HTTP: Yes	Picture-Formats: BMP, JPEG, GIF, PNG
Smart Home client: Yes	UPnP: Yes	Audio-Formats: WAV, MP3, AAC, FLAC, M4A, MP2, DDAC3, AIFF
Voice control: Yes	UDP: Yes	TECHNISAT CONNECT
Teletext subtitles: Yes	RTP: Yes	Control: Yes
Media Player: Yes	IGMP: Yes	SFI: Yes
Alarm: Yes	TCP/IP: Yes	Smart Home: Yes
Hotel mode: Yes	OTHER FEATURES	MULTI PLAY: Yes
Remote control: Yes	OSD languages: English, German, French, Greek, Italian, Dutch, Polish, Portuguese, Russian, Swedish, Spanish, Czech, Turkish, Hungarian	TUNER
Teletext: Yes	POWER CONSUMPTION	Tuner type: Twin-Tuner
Autostandby: Yes	Standby LED: 0.4 W	DVB-S tuner: 2
Channel presets: 9999	In operation: 17.1 W	Single Cable Solution (SatCR): SCR1 = EN50494, SCR2 = EN50607
Selection regional channels: Yes	POWER SUPPLY	Satellite radio: Yes
CONNECT app: Yes	Nominal voltage: 230 V	Reception on: UHD-TV, HD-TV, SD-TV
Sleep timer: Yes	Frequency: 50 Hz	TECHNIROUTER ready: Yes
HOTEL MODE	Mains adapter: external DC12V/3A	DVB-IP (multicast): 1
Protected access to hotel mode: Yes	STREAMING	TECHNISELECT 12 ready: Yes
Customisable start screen: Yes	Cloud store: Ja	TUNER - SAT
Lockable volume: Yes	DLNA Client: Yes	Reception range: 950 ... 2150 MHz
Menu locking: Yes	Parental Control: Yes	Viterbi rates: 1/2, 2/3, 3/4, 5/6, 7/8 , (auto)
Control panel lock: Yes	DLNA Server: Yes	DVB-S: QPSK
Integrated LED clock: Yes	SUPPORTED FORMATS & CODECS	DVB-S: 2 ... 45 Mbaud
Selectable start source: Yes	Video-CODECS: MPEG-2, MPEG-4, MPEG-1, H.264 (bis H.264/AVC Level 4.2), H.265	DVB-S2: 8PSK-QPSK
Selectable start channel: Yes	Video-Formats: M4V, MP4, MKV, MOV, MPG, MTS, TS, TS4, VOB, M2TS, AVI, ASF	DVB-S2: 10 ... 31 Mbaud
NETWORK & COMMUNICATION		FEC: Viterbi and Reed-Solomon
1000Base-T: Yes		SCOPE OF DELIVERY
DHCP: Yes		
IPv4: Yes		

DIGIPLUS UHD S, remote control
TechniControl including batteries, power
supply, HDMI cable, manual, warranty card