



## DIGIDISH 33 with Universal-V/H-LNB

The DigiDish 33 is enormously high-performance for its size and takes up very little space

EAN	Item no.	Colour	Weight (Box)	Weight	Device (W x H x D)	Box
4019588332942	1033/2194	beige	2,7 kg	1,9 kg	33 x 35 cm	40,5 x 39,5 x 22 cm
4019588333291	1333/2194	slate/grey	2,7 kg	1,9 kg	33 x 35 cm	40,5 x 39,5 x 22 cm
4019588341944	1433/2194	brick/red	2,7 kg	1,9 kg	33 x 35 cm	40,5 x 39,5 x 22 cm
4019588733947	1733/2194	polar/white	2,7 kg	1,9 kg		
4019588533943	1533/2194	yellow with Smiley	2,7 kg	1,9 kg	33 x 35 cm	40,5 x 39,5 x 22 cm

### TOP FEATURES

Only 33 cm small  
1 or 2 participants

1 orbital position (for example Astra 19.2° East)  
Especially suitable for balcony installation / Ideal for the city

Ideal for ground and wall mounting

#### LOCAL OSCILLATOR

Low band : 9,75 GHz  
High band : 10,7 GHz

#### LNB CONTROL

Vertical : 11,5 - 14 V  
Horizontal : 16 - 19 V  
Band switch : 22 kHz

#### GENERAL CHARACTERISTICS

Top features : Only 33 cm small  
Material : Aluminium  
Top features : 1 or 2 participants  
Top features : 1 orbital position (for example Astra 19.2° East)

Top features : Especially suitable for balcony installation / Ideal for the city

Top features : Ideal for ground and wall mounting

Material strength : 1 mm

Coating : Powder-coated on both sites

including Wall bracket : Yes

#### INPUT FREQUENCY RANGE

Low band : 10,7 ... 11,7 GHz

High band : 11,7 ... 12,75 GHz

#### NOISE FACTOR

Lower frequency range : 0,7 dB max.

Upper frequency range : 0,7 dB max.

#### OUTPUT FREQUENCY RANGE

Low band : 950 - 1.950 MHz

High band : 1.100 - 2.150 MHz

#### POWER SUPPLY

LNB voltage supply : 11,5 ... 19 V

Power consumption : max. 190 mA

TECHNICAL DATA	SCOPE OF DELIVERY
F/D : 0,6	Satellite dish 33 cm, LNB, Wall bracket, Screws, Tool, Mounting instruction
Gain : 30 dBi @11,3 GHz	
Offset angle : 30 °	
Feed reception : 40 mm	

## Universal-V/H-LNB

ARTICLE INFORMATION	Vertical : 11,5 ... 14 V	Low band : 950 ... 1.950 MHz
EAN : 4019588178946	Horizontal : 16 ... 19 V	High band : 1.100 ... 2.150 MHz
Colour : grey	Band switch : 22 kHz	POWER SUPPLY
Item no. : 0017/8194	AMBIENT OPERATING CONDITIONS	LNB voltage supply : 11,5 ... 19 V
Weight (Box) : 200 g	Ambient temperature : -30 ... 60 °C	Power consumption : max. 190 mA
Weight : 120 g	Humidity : 10 ... 90 %	TECHNICAL DATA
Device (W x H x D) : 5,8 x 5,8 x 11,3 cm	INPUT FREQUENCY RANGE	Outputs : 1
Box : 6,5 x 6,5 x 12 cm	Low band : 10,7 ... 11,7 GHz	Amplification : 50 ... 65 dB
LOCAL OSCILLATOR	High band : 11,7 ... 12,75 GHz	Impedance : 75 Ω
Low band : 9,75 GHz	NOISE FACTOR	Feed reception : 40 mm
High band : 10,6 GHz	Noise figure : 0,7 dB	Connector type : F-Buchse
LNB CONTROL	OUTPUT FREQUENCY RANGE	

## Testurteil(e) DIGIDISH 33 with Universal-V/H-LNB



Readers' Choice for the König-Kunde-Award 2014:  
2nd place in the satellite equipment category  
(Camping, Cars & Caravans)

black/white