



SATMAN 33 wirh UNYSAT-V/H-LNB

High-quality 33 cm large aluminium offset reflector in reliable SATMAN design (available as single and/or two-participant system)

| EAN | Colour | Item no. | Weight (Box) | Weight | Device (W x H x D) | Box |
|---------------|--------------------|-----------|--------------|--------|--------------------|---------------------|
| 4019588309807 | beige | 1033/9800 | 2,8 kg | 2 kg | 33 x 35 cm | 40,5 x 39,5 x 22 cm |
| 4019588309838 | slate/grey | 1333/9800 | 2,8 kg | 2 kg | 33 x 35 cm | 40,5 x 39,5 x 22 cm |
| 4019588439801 | brick/red | 1433/9800 | 2,8 kg | 2 kg | 33 x 35 cm | 40,5 x 39,5 x 22 cm |
| 4019588739802 | polar/white | 1733/9800 | 2,8 kg | 2 kg | 33 x 35 cm | 40,5 x 39,5 x 22 cm |
| 4019588539808 | yellow with Smiley | 1533/9800 | 2,8 kg | 2 kg | 33 x 35 cm | 40,5 x 39,5 x 22 cm |

TOP FEATURES

Only 33 cm small

1 or 2 participants

1 orbital position (for example Astra 19.2° East)

Especially suitable for balcony installation / Ideal for the city

Ideal for ground and wall mounting

Includes outdoor housing

Spiegel nur 33 cm klein aus erstklassigem Aluminium (beidseitig pulverbeschichtet)

1 Teilnehmer

1 Orbitposition (z. B. Astra 19,2° Ost)

Besonders gut geeignet für die Balkonmontage. Ideal auch für die Stadt.

Auch optimal für Boden- und Wandmontage

LNB mit Wetterschutzgehäuse

LOCAL OSCILLATOR

Low band : 9,75 GHz

High band : 10,7 GHz

LNB CONTROL

Vertical : 11,5 - 14 V

Horizontal : 16 - 19 V

Band switch : 22 kHz

| | | |
|--|-------------------------------------|---|
| GENERAL CHARACTERISTICS | INPUT FREQUENCY RANGE | PREPARED FOR |
| Material : Aluminium | Low band : 10,7 ... 11,7 GHz | Number of orbit positions : 1 |
| Top features : Only 33 cm small | High band : 11,7 ... 12,75 GHz | Number of clients : 1 |
| Top features : 1 or 2 participants | NOISE FACTOR | TECHNICAL DATA |
| Top features : 1 orbital position (for example Astra 19.2 ° East) | Lower frequency range : 0,6 dB max. | Rated measurement : 0,33 m |
| Top features : Especially suitable for balcony installation / Ideal for the city | Upper frequency range : 0,6 dB max. | F/D : 0,6 |
| Top features : Ideal for ground and wall mounting | OUTPUT FREQUENCY RANGE | Gain : 30 dBi @11,3 GHz |
| Top features : Includes outdoor housing | Low band : 950 - 1.950 MHz | Offset angle : 30 ° |
| Material strength : 1 mm | High band : 1.100 - 2.150 MHz | Feed reception : for UNYSAT-Universal-LNB |
| Coating : Powder-coated on both sites | POWER SUPPLY | SCOPE OF DELIVERY |
| Colour *: beige, polar white, slate-grey, brick-red, yellow | LNB voltage supply : 11,5 ... 19 V | Satellite dish 33 cm, LNB, wall bracket, screws, tool, mounting instruction |
| | Power consumption : max. 190 mA | |

Testurteil(e) SATMAN 33 wirh UNYSAT-V/H-LNB



Readers' Choice for the König-Kunde-Award 2014: 2nd place in the satellite equipment category (Camping, Cars & Caravans)

* black/white