



SATMAN 45 with UNYSAT-Twin-LNB

High-quality 45 cm large aluminium offset reflector in reliable SATMAN design. Extremely powerful and space-saving.

EAN	Colour	Item no.	Weight (Box)	Weight	Device (W x H x D)	Box
4019588045828	beige	1045/8882	3.9 kg	3.1 kg	45.00 x 48.00 cm	51.00 x 51.00 x 23.00 cm
4019588345829	slate/grey	1345/8882	3.9 kg	3.1 kg	45.00 x 48.00 cm	51.00 x 51.00 x 23.00 cm
4019588448889	brick/red	1445/8882	3.7 kg	2.9 kg	45.00 x 48.00 cm	51.00 x 51.00 x 23.00 cm
4019588745827	polar/white	1745/8882			45.00 x 48.00 cm	51.00 x 51.00 x 23.00 cm
4019588548824	yellow with Smiley	1545/8882	3.9 kg	3.1 kg		

TOP FEATURES

Dish only 45 cm small, made of first-class aluminum (powder-coated on both sides)

1 or 2 participants

1 orbit position (e.g. Astra 19.2° East)

Particularly suitable for balcony assembly. Also ideal for the city.

Also ideal for floor and wall mounting

LNB with weatherproof housing

LOCAL OSCILLATOR

Low band : 9.75 GHz

High band : 10.7 GHz

LNB CONTROL

Vertical : 11,5 - 14,5 V

Horizontal : 16 - 19 V

INPUT FREQUENCY RANGE

Low band : 10.7 ... 11.7 GHz

High band : 11.7 ... 12.75 GHz

NOISE FACTOR

Lower frequency range : 0.6 dB max.

Upper frequency range : 0.6 dB max.

OUTPUT FREQUENCY RANGE

Low band : 950 - 1950 MHz

High band : 1100 - 2150 MHz

PREPARED FOR

Number of orbit positions : 1

Number of clients : 2

TECHNICAL DATA

Rated measurement : 0.45 m

F/D : 0.6

Offset angle : 30°

Gain : 32.2 dBi @11,3 GHz

Feed reception : for UNYSAT-Universal-LNB

SCOPE OF DELIVERY

Satellite dish 45 cm, LNB, wall bracket, screws, tool, mounting instruction

UNYSAT Universal-Twin-LNB

ARTICLE INFORMATION	LNB CONTROL	High band : 1100 ... 2150 MHz
EAN : 4019588088825	Vertical : 11,5 ... 14,5 V	POWER SUPPLY
Colour : grey	Horizontal : 16 ... 19 V	LNB voltage supply : 11.5 ... 19 V
Item no. : 0000/8882	Band switch : 22 kHz	Power consumption : max. 190 mA
Weight (Box) : 500 g	AMBIENT OPERATING CONDITIONS	PREPARED FOR
Weight : 440 g	Humidity : 10 ... 90 %	Number of clients : 2
Device (W x H x D) : 7.50 x 13.00 x 17.50 cm	Ambient temperature : -30 ... 60 °C	Number of orbit positions : 1
Box : 10.00 x 22.00 x 19.00 cm	INPUT FREQUENCY RANGE	TECHNICAL DATA
LOCAL OSCILLATOR	Low band : 10,7 ... 11,7 GHz	Outputs : 2
Low band : 9,75 GHz	High band : 11,7 ... 12,75 GHz	Connector type : F socket
High band : 10,6 GHz	NOISE FACTOR	Feed reception : for SATMAN
Accuracy : ± 1 MHz	Noise figure : 0.6 dB	Amplification : 52 ... 65 dB
Temperature drift : ± 3 MHz	OUTPUT FREQUENCY RANGE	Impedance : 75 Ω
Phase noise : -75 dBc/Hz @10kHz	Low band : 950 ... 1950 MHz	

Testurteil(e) SATMAN 45 with UNYSAT-Twin-LNB



Zweiter Platz in der Kategorie Sat-Anlagen bei der Leserwahl zum König-Kunde-Award 2014 (Camping, Cars & Caravans)

black/white