



## DIGIDISH 33 + 1 x DIGIT S3 HD

| EAN           | Colour             | Item no.  | Weight (Box) | Weight |
|---------------|--------------------|-----------|--------------|--------|
| 4019588837126 | beige              | 8613/4712 | 2,8 kg       | 2 kg   |
| 4019588937123 | slate/grey         | 9613/4712 | 2,8 kg       | 2 kg   |
| 4019588637122 | brick/red          | 6613/4712 | 2,8 kg       | 2 kg   |
| 4019588737129 | polar/white        | 7613/4712 | 2,8 kg       | 2 kg   |
| 4019588537125 | yellow with Smiley | 5613/4712 | 2,8 kg       | 2 kg   |

### TECHNISAT ADDED VALUE SERVICES

AUTOINSTALL : Yes

### HANDLING/COMFORT

Ideal for camping : Yes

## DIGIDISH 33, Universal-Twin-LNB

| ARTICLE INFORMATION     |                                       | POWER SUPPLY                       |
|-------------------------|---------------------------------------|------------------------------------|
| EAN : 4019588033283     | Material strength : 1 mm              | LNB voltage supply : 11,5 ... 19 V |
| Item no. : 1033/2882    | Coating : Powder-coated on both sites | Power consumption : max. 190 mA    |
| LOCAL OSCILLATOR        | INPUT FREQUENCY RANGE                 | TECHNICAL DATA                     |
| Low band : 9,75 GHz     | Low band : 10,7 ... 11,7 GHz          | F/D : 0,6                          |
| High band : 10,7 GHz    | High band : 11,7 ... 12,75 GHz        | Offset angle : 30 °                |
| LNB CONTROL             | NOISE FACTOR                          | Gain : 30 dBi @11,3 GHz            |
| Vertical : 11,5 - 14 V  | Lower frequency range : 0,7 dB max.   | Feed reception : 40 mm             |
| Horizontal : 16 - 19 V  | Upper frequency range : 0,7 dB max.   |                                    |
| Band switch : 22 kHz    | OUTPUT FREQUENCY RANGE                |                                    |
| GENERAL CHARACTERISTICS | Low band : 950 - 1.950 MHz            |                                    |
| Material : Aluminium    | High band : 1.100 - 2.150 MHz         |                                    |

## DIGIT S3 HD

| ARTICLE INFORMATION                                 |
|-----------------------------------------------------|
| EAN : 4019588047129                                 |
| Item no. : 0000/4712                                |
| Colour : black                                      |
| Weight (Box) : 1,03 kg                              |
| Weight : 380 g                                      |
| Device (W x H x D) : 18 x 4,4 x 13 cm               |
| Box : 26 x 8 x 17 cm                                |
| AMBIENT OPERATING CONDITIONS                        |
| Ambient temperature : 5 ... 35 °C                   |
| Humidity : 10 ... 75 %                              |
| LNB CONTROL                                         |
| Vertical : 14 V                                     |
| Horizontal : 18 V                                   |
| Band switch : 22 kHz                                |
| Current consumption : max. 400 mA (kurzschlussfest) |
| DiSEqC : 1.0 / 1.2                                  |
| TECHNISAT ADDED VALUE SERVICES                      |
| TECHNIFAMILY : Yes                                  |
| ISIPRO : Yes                                        |
| ISI-Mode : Yes                                      |
| SFI : Yes                                           |
| AUTOINSTALL : Yes                                   |
| INTERNET/NETWORK                                    |
| Internet speed test : Yes                           |
| CONNECTIONS                                         |
| HDMI™ (out) : 1                                     |
| USB : 1 (USB 2.0)                                   |
| Digital electric audio output (S/PDIF) : Yes        |

| audio/video output analog (3.5 mm jack) : Yes TechniSat specific adapter set necessary (available at 0000/3649) |
|-----------------------------------------------------------------------------------------------------------------|
| Ethernet 10/100 (RJ-45) : Yes                                                                                   |
| F socket : 1                                                                                                    |
| DISPLAY                                                                                                         |
| SD : Yes                                                                                                        |
| HD : Yes                                                                                                        |
| 1080p : Yes                                                                                                     |
| 1080i : Yes                                                                                                     |
| 720p : Yes                                                                                                      |
| 576p : Yes                                                                                                      |
| 576i : Yes                                                                                                      |
| HANDLING/COMFORT                                                                                                |
| Page memory : 1.000                                                                                             |
| Teletext subtitles : Yes                                                                                        |
| Media Player : Yes                                                                                              |
| Parental Control : Ja                                                                                           |
| Teletext : Yes                                                                                                  |
| Channel presets : 4.999                                                                                         |
| Sleep timer : Yes                                                                                               |
| Quick start : Yes                                                                                               |
| Autostandby : Yes                                                                                               |
| Remote control : Yes                                                                                            |
| Selection regional channels : Yes                                                                               |
| NETWORK & COMMUNICATION                                                                                         |
| 100Base-T : Yes                                                                                                 |
| IPv4 : Yes                                                                                                      |
| TCP/IP : Yes                                                                                                    |
| OTHER FEATURES                                                                                                  |

| OSD languages : English, German, French, Greek, Italian, Dutch, Polish, Portuguese, Russian, Swedish, Spanish, Czech, Turkish, Hungarian |
|------------------------------------------------------------------------------------------------------------------------------------------|
| Total programme memory : 4.999                                                                                                           |
| POWER CONSUMPTION                                                                                                                        |
| Standby LED : 0,3 W                                                                                                                      |
| In operation : 6,3 W                                                                                                                     |
| POWER SUPPLY                                                                                                                             |
| Nominal voltage : 230 V                                                                                                                  |
| Frequency : 50 Hz                                                                                                                        |
| Mains adapter : external DC 12V/2A                                                                                                       |
| SUPPORTED FORMATS & CODECS                                                                                                               |
| Video-CODECS : MPEG-2, MPEG-4, H.264                                                                                                     |
| Video-Formats : MTS, MPG, TS, TS4, M2TS, AVI, ASF                                                                                        |
| Picture-Formats : BMP, JPEG, GIF, PNG, TIFF                                                                                              |
| Audio-Formats : WAV, MP3, M4A, MP2, DDAC3                                                                                                |
| TUNER                                                                                                                                    |
| Tuner type : DigitalSat                                                                                                                  |
| DVB-S tuner : 1                                                                                                                          |
| Single Cable Solution (SatCR) : SCR1 = EN50494, SCR2 = EN50607                                                                           |
| Satellite radio : Yes                                                                                                                    |
| Internet radio : Yes                                                                                                                     |
| Reception on : HD-TV, SD-TV                                                                                                              |
| TECHNIROUTER ready : Yes                                                                                                                 |
| TUNER - SAT                                                                                                                              |
| Reception range : 950 ... 2.150 MHz                                                                                                      |
| Viterbi rates : 1/2, 2/3, 3/4, 5/6, 7/8 , (autom. Anpassung)                                                                             |
| DVB-S : QPSK                                                                                                                             |
| DVB-S : 2 ... 45                                                                                                                         |
| DVB-S2 : 8PSK - QPSK                                                                                                                     |

#### Testurteil(e) DIGIDISH 33 + 1 x DIGIT S3 HD



Readers' Choice for the  
König-Kunde-Award 2014:  
2nd place in the satellite  
equipment category  
(Camping, Cars & Caravans)

black/white