



DIGIDISH 33 + 1 x DIGIT S3 HD

EAN	Colour	Item no.	Weight (Box)	Weight
4019588837126	beige	8613/4712	2,8 kg	2 kg
4019588937123	slate/grey	9613/4712	2,8 kg	2 kg
4019588637122	brick/red	6613/4712	2,8 kg	2 kg
4019588737129	polar/white	7613/4712	2,8 kg	2 kg
4019588537125	yellow with Smiley	5613/4712	2,8 kg	2 kg

TECHNISAT ADDED VALUE SERVICES

AUTOINSTALL : Yes

HANDLING/COMFORT

Ideal for camping : Yes

DIGIDISH 33, Universal-Twin-LNB

ARTICLE INFORMATION	Horizontal : 16 - 19 V	OUTPUT FREQUENCY RANGE
EAN : 4019588033283	Band switch : 22 kHz	Low band : 950 - 1.950 MHz
Item no. : 1033/2882	GENERAL CHARACTERISTICS	High band : 1.100 - 2.150 MHz
Colour : beige	Material : Aluminium	POWER SUPPLY
Weight (Box) : 2,8 kg	Material strength : 1 mm	LNB voltage supply : 11,5 ... 19 V
Weight : 2 kg	Coating : Powder-coated on both sites	Power consumption : max. 190 mA
Device (W x H x D) : 33 x 35 cm	including Wall bracket : Yes	TECHNICAL DATA
Box : 40,5 x 39,5 x 22 cm	INPUT FREQUENCY RANGE	F/D : 0,6
LOCAL OSCILLATOR	Low band : 10,7 ... 11,7 GHz	Offset angle : 30 °
Low band : 9,75 GHz	High band : 11,7 ... 12,75 GHz	Gain : 30 dBi @11,3 GHz
High band : 10,7 GHz	NOISE FACTOR	Feed reception : 40 mm
LNB CONTROL	Lower frequency range : 0,7 dB max.	
Vertical : 11,5 - 14 V	Upper frequency range : 0,7 dB max.	

DIGIT S3 HD

ARTICLE INFORMATION	audio/video output analog (3.5 mm jack) : Yes TechniSat specific adapter set necessary (available at 0000/3649)	OSD languages : English, German, French, Greek, Italian, Dutch, Polish, Portuguese, Russian, Swedish, Spanish, Czech, Turkish, Hungarian
EAN : 4019588047129	Ethernet 10/100 (RJ-45) : Yes	Total programme memory : 4.999
Item no. : 0000/4712	F socket : 1	POWER CONSUMPTION
Colour : black	DISPLAY	Standby LED : 0,3 W
Weight (Box) : 1,03 kg	SD : Yes	In operation : 6,3 W
Weight : 380 g	HD : Yes	POWER SUPPLY
Device (W x H x D) : 18 x 4,4 x 13 cm	1080p : Yes	Nominal voltage : 230 V
Box : 26 x 8 x 17 cm	1080i : Yes	Mains adapter : external DC 12V/2A
AMBIENT OPERATING CONDITIONS	720p : Yes	Frequency : 50 Hz
Ambient temperature : 5 ... 35 °C	576p : Yes	SUPPORTED FORMATS & CODECS
Humidity : 10 ... 75 %	576i : Yes	Video-Codecs : MPEG-2, MPEG-4, H.264
LNB CONTROL	HANDLING/COMFORT	Video-Formats : MTS, MPG, TS, TS4, M2TS, AVI, ASF
Vertical : 14 V	Page memory : 1.000	Picture-Formats : BMP, JPEG, GIF, PNG, TIFF
Horizontal : 18 V	Teletext subtitles : Yes	Audio-Formats : WAV, MP3, M4A, MP2, DDAC3
Band switch : 22 kHz	Media Player : Yes	TUNER
Current consumption : max. 400 mA (kurzschlussfest)	Teletext : Yes	Tuner type : DigitalSat
DiSEqC : 1.0 / 1.2	Sleep timer : Yes	DVB-S tuner : 1
TECHNISAT ADDED VALUE SERVICES	Parental Control : Ja	Single Cable Solution (SatCR) : SCR1 = EN50494, SCR2 = EN50607
ISI-Mode : Yes	Autostandby : Yes	Satellite radio : Yes
ISIPRO : Yes	Remote control : Yes	Internet radio : Yes
SFI : Yes	Channel presets : 4.999	Reception on : HD-TV, SD-TV
AUTOINSTALL : Yes	Quick start : Yes	TECHNIROUTER ready : Yes
TECHNIFAMILY : Yes	Selection regional channels : Yes	TUNER - SAT
INTERNET/NETWORK	NETWORK & COMMUNICATION	Reception range : 950 ... 2.150 MHz
Internet speed test : Yes	TCP/IP : Yes	Viterbi rates : 1/2, 2/3, 3/4, 5/6, 7/8 , (autom. Anpassung)
CONNECTIONS	100Base-T : Yes	DVB-S : QPSK
HDMI™ (out) : 1	IPv4 : Yes	DVB-S : 2 ... 4S
USB : 1 (USB 2.0)	OTHER FEATURES	DVB-S2 : 8PSK - QPSK
Digital electric audio output (S/PDIF) : Yes		

Testurteil(e) DIGIDISH 33 + 1 x DIGIT S3 HD



Readers' Choice for the
König-Kunde-Award 2014:
2nd place in the satellite
equipment category
(Camping, Cars & Caravans)

black/white
black/white